




**MANUFACTURING**  
**NO HYDRANTS, NO PROBLEM**

**2020 CATALOG**



Rural, Wildland, Suburban & Resupply

**The Flow Starts Here**  
**Powerful, Portable, Pumps**  
**Since 1908**

Visit us at [fire-pump.com](http://fire-pump.com)

# High- Portab



### PFP-9hp-DSL

325 GPM @ 10 PSI  
130 GPM @ 50 PSI  
70 GPM @ 75 PSI



### PFP-10hp-DSL

250 GPM @ 10 PSI  
165 GPM @ 50 PSI  
70 GPM @ 85 PSI



### PFP-18hpVGD-1D

390 GPM @ 25 PSI  
130 GPM @ 100 PSI  
45 GPM @ 125 PSI



### PFP-18hpVGD-2D-CE

370 GPM @ 25 PSI  
250 GPM @ 50 PSI  
15 GPM @ 125 PSI



### PFP-20hpHND-1D

550 GPM @ 10 PSI  
310 GPM @ 50 PSI  
130 GPM @ 100 PSI



MANUFACTURING

# NO HYDRANTS, NO PROBLEM


Sourcewell

Awarded Contract

Contract # 040220-CET

**PFP** = Portable Fire Pump  
**HND** = Honda Gas Engine  
**VGD** = Vanguard Gas Engine  
**KHL** = Kohler Gas Engine  
**DSL** = Diesel Engine  
**MR** = Mid-Range

**M** = Manual Pull Start  
**E** = Electric Push Button Start  
**Twin** = Two Impellers  
**1D** = One Discharge Line  
**2D** = Two discharge Lines



### PFP-20hpKHL-2D

490 GPM @ 10 PSI  
165 GPM @ 100 PSI  
90 GPM @ 125 PSI



### PFP-27hp-2D

485 GPM @ 25 PSI  
170 GPM @ 100 PSI  
85 GPM @ 125 PSI



### PFP-11hp-HND-M

290 gpm at 10 PSI  
120 gpm at 50 PSI  
80 gpm at 100 PSI



# Volume Pumps



**PFP-23hpVGD-2D**

550 GPM @ 10 PSI  
330 GPM @ 50 PSI  
50 GPM @ 125 PSI



**PFP-9hpHND-EM**

200 GPM @ 25 PSI  
100 GPM @ 75 PSI  
60 GPM @ 100 PSI



**PFP-11hp-HND-EM**

290 GPM @ 10 PSI  
120 GPM @ 75 PSI  
80 GPM @ 100 PSI



Visit us at [fire-pump.com](http://fire-pump.com)



**PFP-20hpKHL-1D**

485 GPM @ 10 PSI  
140 GPM @ 100 PSI  
65 GPM @ 125 PSI



**PFP-18hpVGD-1D-CE**

390 GPM @ 25 PSI  
130 GPM @ 100 PSI  
45 GPM @ 125 PSI

**The Flow Starts Here**

Powerful, Portable, Pumps

Since 1908

Call us at 800-567-2719

OUR PRODUCTS ARE DESIGNED IN USE OF FIRE AND EMERGENCY ENVIRONMENTS



**PFP-18hpVGD-2D**

370 GPM @ 25 PSI  
250 GPM @ 50 PSI  
15 GPM @ 125 PSI



**PFP-20hpHND-2D**

485 GPM @ 10 PSI  
300 GPM @ 50 PSI  
210 GPM @ 75 PSI



**PFP-23hpVGD-1D**

560 GPM @ 10 PSI  
200 GPM @ 100 PSI  
125 GPM @ 125 PSI



**PFP-30hpKHL-2D**

535 GPM @ 10 PSI  
250 GPM @ 75 PSI  
55 GPM @ 125 PSI

Visit us at [fire-pump.com](http://fire-pump.com)



MANUFACTURING

# NO HYDRANTS, NO PROBLEM



## PORTABLE PUMPS

OUR PRODUCTS ARE DESIGNED IN USE OF FIRE AND EMERGENCY ENVIRONMENTS

**PFP** = Portable Fire Pump  
**HND** = Honda Gas Engine  
**VGD** = Vanguard Gas Engine  
**KHL** = Kohler Gas Engine  
**DSL** = Diesel Engine  
**MR** = Mid-Range

**M** = Manual Pull Start  
**E** = Electric Push Button Start  
**Twin** = Two Impellers  
**1D** = One Discharge Line  
**2D** = Two discharge Lines

## Mid-Range Pumps



### PFP-20hpHND-MR

290 GPM @ 50 PSI  
190 GPM @ 100 PSI  
45 GPM @ 200 PSI



### PFP-21hp-DSL-MR

275 GPM @ 10 PSI  
160 GPM @ 100 PSI  
60 GPM @ 175 PSI

## High-Pressure Pumps



### PFP-9hp HND-EM-Twin

70 GPM @ 10 PSI  
55 GPM @ 100 PSI  
40 GPM @ 125 PSI



### PFP-20hpHND-HP

140 GPM @ 50 PSI  
60 GPM @ 200 PSI  
25 GPM @ 275 PSI



### PFP-6hpHND-EM-Twin

70 GPM @ 10 PSI  
45 GPM @ 100 PSI  
35 GPM @ 125 PSI





**PFP-11hpHND-EM-HP**

65 GPM @ 100 PSI  
35 GPM @ 150 PSI  
5 GPM @ 200 PSI



**PFP-20hpKHL-HP**

145 gpm at 50 psi  
90 gpm at 150psi  
20 gpm at 275 psi



**PFP-18hpVGD-MR-CE**

255 GPM @ 25 PSI  
220 GPM @ 50 PSI  
30 GPM @ 175 PSI



**PFP-18hpVGD-MR**

255 GPM @ 25 PSI  
220 GPM @ 50 PSI  
30 GPM @ 175 PSI



**PFP-25hp-DSL-MR**

315 GPM @ 10 PSI  
230 GPM @ 100 PSI  
105 GPM @ 175 PSI



**PFP-23hpVGD-MR**

285 GPM @ 10 PSI  
195 GPM @ 100 PSI  
35 GPM @ 225 PSI



**PFP-9hpHND-M-Twin**

70 GPM @ 10 PSI  
55 GPM @ 100 PSI  
40 GPM @ 125 PSI



**PFP-6hpHND-M-Twin**

70 GPM @ 10 PSI  
45 GPM @ 100 PSI  
35 GPM @ 125 PSI



**PFP-18hpVGD-HP**

115 GPM @ 50 PSI  
70 GPM @ 150 PSI  
20 GPM @ 250 PSI



**PFP-11hpHND-M-HP**

100 GPM @ 50 PSI  
35 GPM @ 150 PSI  
5 GPM @ 200 PSI



**PFP-23hpVGD-HP**

140 GPM @ 50 PSI  
90 GPM @ 150 PSI  
25 GPM @ 275 PSI



**Cart Pump**

- Deliver water by placing the intake hose/strainer into a lake, pond, swimming pool etc.
- The Cart Pump can deliver a fast fire fighting stream of **70 GPM @ 10PSI, 65 GPM @ 50 PSI, 45 GPM @ 100 PSI, and 35 GPM @ 125 PSI** in difficult to access areas, as well as aid with drafting and water re-supply operations.
- A useful piece of equipment for fire departments, industrial fire brigades, and even residential use, commercial marinas and more.



## High-Pressure Volume Pumps

## De-Watering Pumps

Our Products are Designed for use in Fire and Emergency Environments



### PFP-20hpKHL-MR

265 GPM @ 50 PSI  
140 GPM @ 150 PSI  
60 GPM @ 200 PSI



### PFP-5hpHND-DW

200 GPM @ 10 PSI  
100 GPM @ 35 PSI  
15 GPM @ 60 PSI



### PFP-25hp-DSL

425 GPM @ 25 PSI  
150 GPM @ 100 PSI  
40 GPM @ 150 PSI



### PFP-14hpKHL-1D

375 GPM @ 5 PSI  
200 GPM @ 50 PSI  
90 GPM @ 75 PSI



### PFP-38hpKHL-MF

475 GPM @ 25 PSI  
240 GPM @ 100 PSI  
135 GPM @ 150 PSI



### PFP-6hp-FL

265 GPM @ 5 PSI  
125 GPM @ 15 PSI  
75 GPM @ 20 PSI



### PFP-38hpKHL-2D

620 GPM @ 25 PSI  
300 GPM @ 100 PSI  
140 GPM @ 150 PSI



### PFP-13hpHND-FL

300 GPM @ 15 PSI  
260 GPM @ 25 PSI  
150 GPM @ 50 PSI



# Flow & PSI Chart

Call us at 800-567-2719

**The Flow Starts Here**  
 Powerful, Portable, Pumps  
 Since 1908

PUMP MODEL	MAX FLOW	25 PSI	50PSI	75PSI	100PSI	125PSI	150 PSI	175 SI	200PSI	225PSI	250PSI	300PSI	MAX PRESSURE
PPF-2hpHND-M	85	55	25	-	-	-	-	-	-	-	-	-	75
PPF-5hpHND-DW	200	100	-	-	-	-	-	-	-	-	-	-	45
PPF-6hp-FL	265	80	-	-	-	-	-	-	-	-	-	-	40
PPF-6hpHND-EM-TW & M	75	65	65	60	45	35	-	-	-	-	-	-	150
PPF-9hpHND-EM-TW & M	75	65	60	60	55	40	-	-	-	-	-	-	150
PPF-9hpHND-EM & M	250	200	140	100	60	-	-	-	-	-	-	-	125
PPF-9hp-DSL (yanmar)	350	240	130	15	-	-	-	-	-	-	-	-	90
PPF-10hp-DSL (hatz)	285	230	165	115	-	-	-	-	-	-	-	-	90
PPF-11hpHND-EM & M	290	250	190	120	80	-	-	-	-	-	-	-	120
PPF-11hpHND-EM-HP & M	135	115	100	90	65	45	35	20	5	-	-	-	205
PPF-13hpHND-FL	360	250	125	-	-	-	-	-	-	-	-	-	75
PPF-13hpHND-EM-HP80	230	190	140	100	60	-	-	-	-	-	-	-	120
PPF-14hpKHL-EM-1D & M	450	300	200	90	-	-	-	-	-	-	-	-	100
PPF-14hpKHL-EM-MR & M	240	215	170	130	105	45	-	-	-	-	-	-	140
PPF-18hpVGD-1D & CE	485	390	310	200	130	45	-	-	-	-	-	-	135
PPF-18hpVGD-2D & CE	540	370	250	150	90	15	-	-	-	-	-	-	130
PPF-18hpVGD-HP	150	125	115	110	100	80	70	55	45	35	20	-	305
PPF-18hpVGD-MR & CE	290	255	220	175	140	115	75	30	-	-	-	-	200
PPF-20hpHND-1D	570	470	375	285	130	-	-	-	-	-	-	-	110
PPF-20hpHND-2D	630	410	300	185	100	-	-	-	-	-	-	-	110
PPF-20hpHND-HP	155	150	140	130	125	115	100	80	60	50	40	15	340
PPF-20hpHND-MR	300	260	240	210	180	150	125	100	60	-	-	-	210
PPF-20hpKHL-1D	510	430	350	250	140	65	-	-	-	-	-	-	145
PPF-20hpKHL-2D	570	430	350	260	165	90	-	-	-	-	-	-	145
PPF-20hpKHL-HP	165	150	160	130	125	110	90	70	60	45	30	10	320
PPF-20hpKHL-MR	290	275	265	220	190	165	140	105	60	-	-	-	225
PPF-21hpDSL-MR	250	240	230	195	165	135	110	70	10	-	-	-	205
PPF-23hpVGD-1D & CE	550	455	350	260	160	-	-	-	-	-	-	-	120
PPF-23hpVGD-2D & CE	650	430	310	200	110	-	-	-	-	-	-	-	125
PPF-23hpVGD-HP	175	160	140	130	125	105	90	75	60	50	40	10	360
PPF-23hpVGD-MR & CE	300	275	265	225	195	170	150	120	80	30	-	-	240
PPF-25hpDSL-MR	315	305	300	280	230	190	145	105	-	-	-	-	190
PPF-25hp-DSL	675	420	315	245	145	100	40	-	-	-	-	-	160
PPF-27hp-2D	650	390	290	210	140	25	-	-	-	-	-	-	130
PPF-30hpKHL-2D	700	470	350	250	170	55	-	-	-	-	-	-	130
PPF-38hpKHL-MF	680	515	430	380	300	240	180	125	50	-	-	-	220

We build our Skid Units with only the best components available on the market. Our Skid Units are built with many standard features and a multitude of options to choose from to customize your own unit. Finally, every single skid unit is inspected and tested to make sure the product you receive meets your expectations.

- **CET designs, engineers and manufactures our skid units from the ground up**
- **Customizable to meet your needs**
- **ISO 9001 Certified**
- **Know-How + Dependability + Efficiency = solid product at an affordable price.**



**Econo Pac** Simple to operate, great for ranchers, farmers, homeowners in wild land interface areas and smaller fire agency vehicles.

# Quick Skid Un

 The central graphic features the CET Manufacturing logo (a flame icon above the letters 'CET' in a circle) with 'MANUFACTURING' written below it. The background is a dynamic, abstract image of orange and red flames. On the right side, a portion of a black skid unit with red hoses and a green cap is visible.
 

## NO HYDRANTS, NO PROBLEM



**Ready Pac** Features popular 6hp-Twin pump and is similar to Attack Pac, but without Booster Reel. Great for urban interface firefighting... car fires, dumpster fires and small room & contents fires.



**The Flow Starts Here**  
Powerful, Portable, Pumps  
Since 1908

Call us at 800-567-2719

# Delivery it Models



Visit us at [fire-pump.com](http://fire-pump.com)



**The Flow Starts Here**  
Powerful, Portable, Pumps  
Since 1908  
Call us at 800-567-2719



**Attack Pac** Sets the standard for Skid Unit mobile fire attack for firefighting agencies in more than 44 countries.



**Forest Pac** Great for Wild and Forestry fire fighting with larger capacity NFA tank.



**Skeeter Space Pac** Small and nimble, great for firefighting/EMS use on ATV and UTV vehicles when navigating through large crowds of people at events, or in remote areas where pick-up size trucks are too big to go through.



Visit us at [fire-pump.com](http://fire-pump.com)



MANUFACTURING

**NO HYDRANTS, NO PROBLEM**



**BRUSH TRUCKS**



# BRUSH TRUCKS & QUICK ATTACK UNITS




- Solid / Affordable / Practical
- Available in Polybody or aluminum
- Customized & standard designs available





The Flow Starts Here  
Powerful, Portable, Pumps  
Since 1908

Call us at 800-567-2719



No two CET Brush Trucks are exactly alike because no two fire departments are exactly alike. Highly customizable-CET makes our trucks to meet your fire departments specific needs.




Visit us at [fire-pump.com](http://fire-pump.com)



MANUFACTURING

# NO HYDRANTS, NO PROBLEM




CET builds our own water tanks to NFPA standards ranging in size from 50 gallons to 2,000 gallons . CET also custom builds tanks for OEM fire truck manufacturers worldwide.

STANDARD TANK HEIGHT				
LENGTH \ CAPACITY	96"	78"	76"	72"
150	15 1/2	21 1/4	21 3/4	23 3/4
200	20	27 1/2	28 1/4	33 1/4
225	22 1/4			
250	24 3/4	34		
300	29 1/4			
400	38			
500	46 7/8			



- Separate and distinct foam cells
- Cuts down divided warranty responsibility between component suppliers who build only tanks
- Tongue and Groove construction for better fit and finish
- All tanks spark tested before shipment
- Top and bottom tank gauges for quality assurance when final assembly and welding are complete
- Foam outlet manifolds are assembled in the bottom of the foam tank for better gravity feed to proportioner(s)
- Take advantage of the innovative storage features now standard options
- Quality Control ISO 9001 Company







# QUALITY BUILT WATER TANKS

# LIMITED LIFETIME WARRANTY

Know-How + Dependability + Efficiency = Solid products at affordable prices.



Sumps. Standard in all CET skid tanks



High speed CNC part production for quality form fit, finish and seal.



Exclusive "tongue and groove" sheet assembly for that Go-No-Go fit.



# CUSTOM BUILT **FOAM** TRAILERS

CET Fire Pumps manufactures a variety of foam trailers from 150 to 2,000 gallons. These versatile trailers are ideal for use in industrial, commercial, municipal and forestry environments. Foam trailers provide a very effective tool for airport fuel storage and power plant installations.

- Completely designed, engineered and manufactured by CET craftsmen
- ISO 9001 Certification
- Customizable to your specific needs
- Know-How + Dependability + Efficiency = solid product at an affordable price.
- Class A Foam and Class B Foam increases efficiency and conservation of water supply



**500 Gallons  
Foam Trailer**

**1000 Gallons  
Foam Trailer**



**1000 Gallons  
Re-supply Foam Trailer**



**A & B Foam Trailers  
with Two Monitors**



**Single Tote  
Foam Trailer**




**Dual Tote  
Foam Trailer**





**The Flow Starts Here**  
Powerful, Portable, Pumps  
Since 1908

Call us at 800-567-2719



# CUSTOM FLAT-BED GLIDER KITS

CET manufactures portable pumps, skid units, brush trucks and more to allow fire departments to Adapt, Improve & Extinguish fire in almost any scenario where hydrants are scarce and static water resources maybe all you have to work with. CET- Providing fire ground solutions since 1908

## Advantages of A CET Glider Kit

- The Glider Kit package can be installed on a cab and chassis with supplied "U" bolts, Teflon "Dielectric" pads and brackets. This design allows the body and flatbed to withstand greater levels of stress that can distort other commercial style flat-beds. A truly "OFF ROAD" flatbed!
- A modular design allows removal from the chassis for major repair or mounting on a new chassis.
- Perfect for fire departments that have their own chassis
- Components are pre-assembled, pre-plumbed, pre-wired, and shipped to the OEM in a self-contained, tested unit.
- Perfect for OEM's, reduces "bay-time" as the CET Glider Kit can be installed in 24-48 hours. Mount, attach 4 "U" bolts, connect electrical and go fight fire



**MANUFACTURING**

Sourcewell 

Awarded Contract

Contract # 040220-CET



Agriculture



Industry



Petro Chemical



Mining/Rail Road

Visit us at [fire-pump.com](http://fire-pump.com)

**The Flow Starts Here**  
Powerful, Portable, Pumps

Since 1908

Call us at 800-567-2719

